Notice of Allowability	Application No.	Applicant(s)	
	10/824,749	LEE, WY PERON	
	Examiner	Art Unit	
	Kenneth E Peterson	3724	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to 29 April 05.			
2. The allowed claim(s) is/are <u>1-3,7,8 and 10</u> .			
3. The drawings filed on 14 April 2004 are accepted by the Examiner.			
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)	- -		
1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa		D-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary (Paper No./Mail Date		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	8), 7. Examiner's Amendm	nent/Comment	
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	nt of Reasons for Allo	wance
of Biological Material	9. Other		

Application/Control Number: 10/824,749

Art Unit: 3724

1. The restriction requirement has been withdrawn as per paragraph 3 of the paper

Page 2

mailed 28 February 05.

2. An examiner's amendment to the record appears below. Should the changes

and/or additions be unacceptable to applicant, an amendment may be filed as provided

by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview

with Raymond Chan on 19 May 05.

The application has been amended as follows:

Claims 4,5,6 and 9 have been cancelled.

On line 1 of claim 7, "5" has been changed to -2--.

3. The following is an examiner's statement of reasons for allowance:

The prior art to Crossley '248 shows that it is well known to have a primary guider

with plural 45 degree rip guides, as seen in figure 4.

The prior art to Wilson '813 and Thiriet '665 show that it is well known to have an

enhancement guider that is angleable to a predetermined angle.

However, there is no suggestion in the prior art to mount the angleable

enhancement guider ON the plural-rip-guide primary guider.

Art Unit: 3724

Also made of record, but not making Applicant's invention obvious, are myriad workpiece angling device that are deemed pertinent.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ken Peterson at 571-272-4512, on Monday-Thursday, 7AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Allan Shoap, can be reached at 571-272-4514. In lieu of mailing, it is encouraged that papers be faxed to 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. For more information about the PAIR system, see http://pair-direct.uspto.gov or call the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

kp May 23, 2005

KENNETH E. PETERSON PRIMARY EXAMINER Page 3